





REVISIONS				
SYM.	ZONE	DESCRIPTION	DATE	APP.





REVISIONS			
SYM.	ZONE	DESCRIPTION	DATE APP.





X SEMI-RIGID ANCHOR FIELD PROBE TOP  
FILE NAME: 7110-013  
SHEET NO.: 3  
DFT. SCALE: 4:1  
MATERIAL: COPPER  
QTY: 1 TOTAL  
NOTES:



X SEMI-RIGID ANCHOR FIELD PROBE  
FILE NAME: 7110-013  
SHEET NO.: 3  
DFT. SCALE: 4:1  
MATERIAL: COPPER  
QTY: 1 TOTAL  
NOTES:



X WPM SEMI-RIGID ANCHOR TOP  
FILE NAME: 7110-013  
SHEET NO.: 3  
DFT. SCALE: 1:2  
MATERIAL: COPPER  
QTY: 1 TOTAL  
NOTES:




X WPM SEMI-RIGID ANCHOR  
FILE NAME: 7110-013  
SHEET NO.: 3  
DFT. SCALE: 2:1  
MATERIAL: COPPER  
QTY: 1 TOTAL  
NOTES:

FOR MACHINING LUBRICANT USE ONLY  
ALKALINE DETERGENT LUBRICANT CIMSTAR 40  
OR EQUIVALENT APPROVED BY CORNELL LEPP



TECHNICAL RESOURCE APPROVALS REQUIRED BEFORE FABRICATION			
	OK	DATE	N/A
DRAFTING (O'Connell):			
MACHINE SHOP (Kaminski):			
CHEMISTRY (Conklin):			
ELECTRONICS SHOP (Barley):			
FURNACE BRAZING (Sherwood):			
BEAM WELDING (Sears):			
WELDING OTHER (Gallagher):			
UTILITIES INTEGRATION (Gallagher):			
STOCKROOMS (Lockwood):			

D	PRINT DISTR.	ITEM	DWG. NO.	DESCRIPTION	G1	G2	G3	REMARKS	REV.
		PLOT DATE: 1/10/2008 CAD FILE NAME: 7110-013.idw				QUANTITY			
7110-013 SH. NO. 3 OF 4	CR-1	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES: TOLERANCES ON: .00 ± .010 .000 ± .005 FRACTIONS ± 1/64 ANGLES ± 0.5° ALL SURFACES		<b>CORNELL UNIVERSITY</b> <b>LEPP</b> LABORATORY FOR ELEMENTARY-PARTICLE PHYSICS CORNELL UNIVERSITY Floyd R. Newman Laboratory Ithaca, NY 14853 HTC Internal Wiring Semi-Rigid Anchor Part Details					
		CHECKED BY: PGQ APPROVED BY: TIO	DRAWN BY: JGL	DRAWN FOR: PGQ	DATE: 6/5/2007	SCALE: D	7110-013 SH. NO. 3 OF 4	REV.	


REVISIONS			
SYM.	ZONE	DESCRIPTION	DATE APP.



**37 6 CABLES SUPPORT**  
FILE NAME: 7110-013  
SHEET NO.: 4  
DFT. SCALE: 2:1  
MATERIAL: 1/16" G-10 SHEET  
QTY: 2 PER CRYOMODULE  
NOTES:








**38 6 CABLES VERTICAL STRAP**  
FILE NAME: 7110-013  
SHEET NO.: 4  
DFT. SCALE: 2:1  
MATERIAL: 1/16" G-10 SHEET  
QTY: 6 PER CRYOMODULE  
NOTES:



**39 22 SEMI-RIGID SUPPORT VERT STRAP 2**  
FILE NAME: 7110-013  
SHEET NO.: 4  
DFT. SCALE: 2:1  
MATERIAL: SEE NOTE 1  
QTY: 3 PER CRYOMODULE  
NOTES: 1. MAKE FROM ITEM 36 (22 SEMI-RIGID SUPPORT VERT STRAP), SEE SHEET 2. MATERIAL 1/16" G-10 SHEET.

FOR MACHINING LUBRICANT USE ONLY  
ALKALINE DETERGENT LUBRICANT CIMSTAR 40  
OR EQUIVALENT APPROVED BY CORNELL LEPP

TECHNICAL RESOURCE APPROVALS REQUIRED BEFORE FABRICATION			
	OK	DATE	N/A
DRAFTING (O'Connel):			
MACHINE SHOP (Kaminski):			
CHEMISTRY (Conklin):			
ELECTRONICS SHOP (Barley):			
FURNACE BRAZING (Sherwood):			
BEAM WELDING (Sears):			
WELDING OTHER (Gallagher):			
UTILITIES INTEGRATION (Gallagher):			
STOCKROOMS (Lockwood):			

	ITEM	DWG. NO.	DESCRIPTION			G1	G2	G3	REMARKS	REV.
							QUANTITY			
	PRINT DISTR.	PLOT DATE: 1/10/2008 CAD FILE NAME: 7110-013.idw								
	CR-1	UNLESS OTHERWISE SPECIFIED:  DIMENSIONS ARE IN INCHES:  TOLERANCES ON: .00 ± .010 .000 ± .005  FRACTIONS ± 1/64 ANGLES ± 0.5° ALL SURFACES 	CORNELL UNIVERSITY  <b>LEPP</b> LABORATORY FOR ELEMENTARY-PARTICLE PHYSICS							CORNELL UNIVERSITY Floyd R. Newman Laboratory Ithaca, NY 14853
HTC Internal Wiring 6 Cable Support + Vert. Straps										
CHECKED BY: PGQ			DRAWN BY JGL	DRAWN FOR PGQ	DATE 6/5/2007	SCALE		7110-013		REV.
APPROVED BY: TIO						SH. NO. 4 OF 4				
SH. NO. 4 OF 4	7110-013									
REV.										